





MACHINE SPECIFICATION:

TYPE	100CNC
X-STROKE	240mm
Z-STROKE	350mm
MAX. PRODUCT DIAMETER	ø350mm
MAX. DIAM. ABOVE X-SLIDE	-
FREE SWING DIAMETER	ø360mm
SPINDLE	4000rpm
NUMBER OF TOOLS	8
TOOL DISC PITCH DIAMETER	ø160mm
TOOL CLAMPING SYSTEM	VDI-20
TAIL STOCK	NO



SCALE 1:5
 DRAWN: M.Bus
 DATE: 13-8-2015
 CHECKED
 PART LIST: 01 4300148



ø350 MAGNETPLATE

NAME

MIKROTURN 100
 CAPACITY


SHARP EDGES MAX. 0,5 x 45°
 TOLERANCES AND SYMBOLS:
 general : NEN-ISO 2768 mH
 fitting : NEN-ISO 286-1/286-2
 shape / position : NEN-ISO 1101
 surf. roughness : NEN-ISO 1302
 welding : NEN-ISO 2553

DRAWING NO.
 PO504A002 CAPA



SHEETS 1 / 2



WIJZ. → afgedrukt: 13-8-2015



MACHINE SPECIFICATION:	
TYPE	100CNC
X-STROKE	240mm
Z-STROKE	350mm
MAX. PRODUCT DIAMETER	ø350mm
MAX. DIAM. ABOVE X-SLIDE	ø190mm
FREE SWING DIAMETER	ø360mm
SPINDLE	4000rpm
NUMBER OF TOOLS	8
TOOL DISC PITCH DIAMETER	ø160mm
TOOL CLAMPING SYSTEM	VDI-20
TAIL STOCK	NO




NOTE: NO CENTERING UNIT MOUNTED


SCALE 1:5	ø200 AIRCHUCK	SHARP EDGES MAX. 0,5 x 45°
DRAWN: M.Bus		TOLERANCES AND SYMBOLS:
DATE: 13-8-2015		general : NEN-ISO 2768 mH
CHECKED		fitting : NEN-ISO 286-1/286-2
PART LIST: 014300148		shape / position : NEN-ISO 1101
		surf. roughness : NEN-ISO 1302
		welding : NEN-ISO 2553
		DRAWING NO.
		PO504A002 CAPA
		SHEETS 2 / 2
		WUJZ. -+ ofgedrukt: 13-8-2015






ALL RIGHTS RESERVED. THIS DRAWING IS THE PROPERTY OF HEMBRUG.
IT IS NOT ALLOWED TO COPY, LEND OUT OR TO SHOW THIS
DRAWING TO THIRD PARTIES WITHOUT WRITTEN CONSENT.



MACHINE WEIGHT: APPROX. 6500kg
 (INCL. ELECTRICAL CABINET)
 WEIGHT SERVICE UNIT: APPROX. 750kg
 FLOOR SUPPORTING CAPACITY: 200N/cm2
 COMPRESSED AIR SUPPLY: 6 BAR
 - AIR COMSUMPTION: 6 m³/h
 - DEW POINT: < 5°C @ 6 BAR
 - FILTERED: < 5µm
 ELECTRIC CONNECTIONS
 - VOLTAGE: 380V, 50Hz, 3ph
 - POWER: 22kVA
 - MACHINE FUSED: 35A
 - PRE-FUSED: 50A



- ① HYDRAULIC CONNECTIONS
HYDRAULISCHE ANSCHLUSSE
- ② ELECTRIC SUPPLY
ELEKTRISCHE ANSCHLUSS
- ③ COMPRESSED AIR SUPPLY
DRUCKLUFT ANSCHLUSS
- ④ SERVICE-UNIT (HYDRAULIC INSTALLATION & OIL COOLER)
VERSÖRGUNGSANLAGE (HYDRAULIK UND ÖL KÜHLER)
- ⑤ CNC CONTROL
CNC PULT
- ⑥ PNEUMATIC CABINET
LUFTSCHRANK
- ⑦ CHIPS CONVEYOR
SPANEFÖRDERER
- ⑧ ELECTRIC CABINET
ELEKTROSCHRANK



SCALE 1:22	NAME	MIKROTURN 100 FLOORPLAN	SHARP EDGES MAX. 0,5 x 45° TOLERANCES AND SYMBOLS: general : NEN-ISO 2768 mH fitting : NEN-ISO 286-1/286-2 shape / position : NEN-ISO 1101 surf. roughness : NEN-ISO 1302 welding : NEN-ISO 2553	
DRAWN: M.Bus				
DATE: 14-8-2015				
CHECKED				
PART LIST: 014300148				
	ALL RIGHTS RESERVED. THIS DRAWING IS THE PROPERTY OF HEMBRUG. IT IS NOT ALLOWED TO COPY, LEND OUT OR TO SHOW THIS DRAWING TO THIRD PARTIES WITHOUT WRITTEN CONSENT.		A2 	WIJZ. _afgedrukt: 14-8-2015
DRAWING NO. 143 00 148_		SHEETS 1 / 1		



ALL RIGHTS RESERVED. THIS DRAWING IS THE PROPERTY OF HEMBRUG.
IT IS NOT ALLOWED TO COPY, LEND OUT OR TO SHOW THIS
DRAWING TO THIRD PARTIES WITHOUT WRITTEN CONSENT.

